Tradition expertise meets orthodontics of the future...







COMPLETE CAD-CAM EXPANDER SERIES



- Widest range of palatal expanders and expansion screws on the market, solutions for every therapeutic need.
- Continuous investment in research and development.
- High quality standards.



Now the new CAD-CAM Expander Series designed for a fully digital workflow



3DLEONE DESIGNER



Software

3DLEONE DESIGNER is the first software based on an easy and driven workflow for the digital design of customized framework to be coupled with our innovative CAD-CAM expanders.

Based on our experience with many different software in the dental field and due to the increased customer requests, Leone has made out an innovative and intuitive software that allows to design, not only bands and supports, but also the expander arms, and can automatically place the expander also in the right position, in very short time and independently from the digital skills.

3DLEONE DESIGNER software allows to upload and manage the .STL files of both upper and lower arches, obtained from a laboratory scanner or directly from an intra-oral scanner, and it has already in library all the range of Leone's CAD-CAM expanders available.

Once the digital driven workflow is completed, thanks to an innovative technology called Selective Laser Melting, the designed .STL file will become, a high precision sintered framework and will be coupled perfectly with the chosen Leone CAD-CAM expander. Then the framework and the expander will be permanently laser welded.



■ 3DLEONE DESIGNER Workflow










SCREW POSITION DEFINITION

Designing and creating new entirely customized orthodontic solutions




BANDS DEFINITION





ARMS





3DLEONE DESIGNER Software



Designing and creating new entirely customized orthodontic solutions

Thanks to the feedbacks received from various markets, **3DLEONE DESIGNER** is continuously updated, aiming to become the best digital tool for the contemporary orthodontic lab.

The latest improvements include:

NEW INCREASED LEONE CAD-CAM EXPANDER LIBRARY

The range of available screws has been implemented with Leone's best seller expanders - the single arm Stealth, the Leaf Series, the Torko screw for lower arch - in order to allow the lab to design almost every fixed expansion appliance.






NEW TOOL ALLOWS FULL CUSTOMIZATION AND QUICKER DESIGN

It is possible to customize the preference menu and define designing features as offset, thickness or diameter, shape, inner geometry of support and bands, as well as the use of 3 buttons mouse, and 3D mouse for an enhanced experience.

3DLEONE DESIGNER VIEWER

Thanks to the free viewer, the clinician can review the project made by the laboratory and communicate to the lab technician eventual changes or his/her approval through a built-in direct chat.




Review, check and approve



CAD-CAM Expanders







CAD-CAM expanders allow the manufacturing of totally customized appliances with dental anchorage, hybrid (teeth and TADs) and bone borne in a full digital workflow, by using 3DLeone Designer software. Thanks to a manufacturing process called Laser Melting, the .STL file will become a high precision sintered framework, that will fit perfectly the slots on the expander bodies to then be joined permanently by laser welding.

CAD-CAM expanders are manufactured by biomedical stainless steel with increased mechanical properties and a dedicated geometry of the male screw head that allow us to declare, based on in-vitro tests performed, a strength higher than 60 kgf, about 50% higher than standard RPE.

These features ensure the treatment efficiency even with maxillary expansion in adult patients with 2 or 4 TADs.



SQUARED slots

The CAD-CAM expanders bodies feature squared slots, instead of the standard arms. The squared slots allow a correct oriented coupling of digitally designed customized laser melted framework and, thanks to their geometric shape, the full transmission of the expansion forces to the teeth and/or TADs



Istruzioni Instructions 2

Strengthened swivel key

ONLY for CAD-CAM expanders, supplied inside the package, it is more resistant than standard one and its use is mandatory in order to enable the full transmission of expansion forces

Instructions to activate the expander

useful for parents and clinicians



Anatomical expander





Ideal and reliable






The anatomical CAD-CAM expander looks like a regular anatomical expander with orthogonal arms, but it is a device optimized for the CAD-CAM procedure, featuring 2 squared slots allowing perfect fitting and welding of the laser melted framework. The reduced overall size, the exclusive self-centering guides system, the strengthened stainless steel of the male screw, allow the positioning of the expander even in case of very narrow palates and high resistance and reliability throughout the therapy, even for the usage in MARPE appliances in adult patients. Expansion capacity in mm, directional arrow and lot number are laser marked on the body of the screw.

Supplied with:

- 1 stainless steel key
- 1 strengthened swivel key with handle
- instructions for the patient







STL file available

•••	•••‡	CODE	1	† ←→		Ó	activation turns
6 mm front view	4,5 mm back view		mm	body mm	mm	mm	for maximum expansion limit
11=8		A0630-08D	1,5 x 1,5	12	8	0,8	40
■01=10		A0630-10D	1,5 x 1,5	14	10	0,8	50
■ ↓ = 12 =		A0630-12D	1,5 x 1,5	16	12	0,8	60



CAD-CAM Tooth borne Expanders







Leone's CAD-CAM Tooth Borne expander series broadens the Leone expander CAD-CAM range. The most popular and used Leone expanders have been optimized to be included in a fully digital workflow to manufacture expansion appliances with dental anchorage.

The CAD-CAM tooth borne expanders are made of stainless steel and manufactured according to the high-quality Leone standards. They feature transversal housings to be coupled with the digital designed and sintered framework, instead of the arms as the classic models.




EMBEDDED slots

The Tooth borne CAD-CAM expanders bodies feature slots embedded in the body profile that allow a correct oriented coupling of digitally designed customized laser melted framework. This feature guarantees a high reliability of the device throughout the therapy.



Swivel key

Each expander comes with the classic blue swivel key. Also available with activation turn counter



■ Instructions for use of expanders useful for parents and clinicians



Rapid expander

CAD-CAM

Tooth borne



Classic design goes digital





The CAD-CAM Rapid Expander Tooth Borne screw is the optimized CAD-CAM version of the Leone's best seller expander: instead of the arms, it has four transversal housings with an ending stop on the bodies that allow a perfect oriented coupling with the digitally designed and SLM manufactured framework, thus assuring an optimal laser welding process.

It is recommended for the utilization on tooth borne appliances. This series of expanders keeps all the features and sizes of our worldwide famous expander, allowing doctors to smoothly switch to digital manufactured RPEs.

Expansion capacity in mm, directional arrow and lot number are laser marked on the body of the screw.

Supplied with:

- -1 stainless steel key (to be used only inside the lab)
- 1 blue swivel key with handle
- Instructions for the patients







		CODE	4000	↔		Ó	activation turns
11 mm front view	4 mm back view		mm	body mm	mm	mm	for maximum expansion limit
1		A0620D08	1,5	12	8	0,8	35
1 1		A0620D09	1,5	14	9	0,8	40
		A0620D11	1,5	16	11	0,8	50
		A0620D13	1,5	18	13	0,8	60



Easy Access micro expander



Tooth borne








This expander is the optimized CAD-CAM version of the Stealth Easy Access. Instead of the arms, it has two transversal housings with an ending stop on the bodies that allow a perfect oriented coupling with the digitally designed and SLM manufactured framework, thus assuring an optimal laser welding process.

Thanks to the more visible screw holed-head, the micro expander A1621D allows an easier intraoral activation with the swivel key. It is recommended for dental anchored expanders. This series of expander keeps all the features and sizes of our classic worldwide famous expander, allowing doctors to smootly switch to digital manufactured RPEs. Expansion capacity in mm, directional arrow and lot number are laser marked on the body of the screw.

Supplied with:

- -1 stainless steel key (to be used only inside the lab)
- -1 swivel key with handle
- Instructions for the patients







₩	⇔ 1	CODE	6	↔		Ö	activation turns
4,95 mm front view	4,05 mm back view		mm	body mm	mm	mm	for maximum expansion limit
		A1621-08D	2	12	8	0,8	35
		A1621-11D	2	16	10	0,8	50
		A1621-13D	2	18	12	0,8	60



Expander for lower arch



Tooth borne



■ Flat profile






The CAD-CAM expander for lower arch Tooth Borne is the optimized CAD-CAM version of the Torko lower screw. Instead of the arms, it has two transversal housings with an ending stop on the bodies that allow a perfect oriented coupling with the digitally designed and SLM manufactured framework, thus assuring an optimal laser welding process. The main characteristics are the same of the classic A0623 expanders, featuring a flat profile that reduces the overall bulkiness, particularly important since it is recommended for the use on lower jaw tooth borne appliances. Expansion capacity in mm, directional arrow and lot number are laser marked on the body of the screw.

Supplied with:

- 1 stainless steel key (to be used only inside the lab)
- 1 key with safety ring leash
- Instructions for the patients







<u> </u>	0001	CODE	0001	\leftrightarrow		Ó	activation turns
7,5 mm front view	4 mm back view		mm	body mm	mm	mm	for maximum expansion limit
8 = 1		A0623-08D	2	12	8	0,8	35
		A0623-11D	2	16	11	0,8	50




Leaf expander

CAD CAM

Tooth borne







The CAD-CAM Leaf Expander is a spring loaded expander that, along with the male screw, has two or three MEMORIA Ni-Ti leaf springs that allow the release of calibrated and continuous forces to promote the expansion of the maxillary arch. It is a device optimized for the CAD-CAM procedure, instead of the arms it has four transversal rounded slots on the bodies that allow a correct oriented coupling for the welding of digitally designed customized laser melted framework. The main features are the same as the standard Leaf expander series. It is recommended for the utilization on tooth borne appliances.

This expander series keeps the efficiency of the classic expander while looking towards the future

Supplied with:

- 1 stainless steel key (to be used only inside the lab)
- -1 swivel key with handle







		CODE	4000	↔	→7000000>	Ö	activation turns
11 mm front view	4 mm back view		mm	body mm	mm	mm	for maximum expansion limit
450 6		A2703-06D 2 springs 450 g approx	1,85	12	6	0,4	30
900 6		A2704-06D 2 springs 900 g approx	1,85	12	6	0,4	30
450		A2703-09D 3 springs 450 g approx	1,85	12	9	0,4	45
900		A2704-09D 3 springs 900 g approx	1,85	12	9	0,4	45

EXPANDER ACTIVATION LEAF EXPANDER GUIDELINES cementation FIRST				FIRST visit		SECOND visit		THIRD visit	
6	mm	A2703-06D A2704-06D	spring activation 0 turns	after 6 weeks	10 turns	after 4 weeks	10 turns	after 4 weeks	10 turns
9	mm	A2703-09D A2704-09D	spring activation 0 turns	after 8 weeks	15 turns	after 6 weeks	15 turns	after 6 weeks	15 turns



Leaf Self expander

Tooth borne










Leaf Self Expander is a spring loaded expander equidded with four or six MEMORIA Ni-Ti leaf springs that allow the release of calibrated and continuous forces to promote the expansion of the maxillary arch.

It is a device optimized for the CAD-CAM procedure: instead of the arms it has four transversal rounded slots on the bodies that allow a correct oriented coupling for the welding of digitally designed customized laser melted framework. The main features are the same as the standard Leaf expander series. It is recommended for the utilization on tooth borne appliances.

This expander series keeps the efficiency of the classic expander while looking towards the future.

STL file available





(m)		CODE	4000	↔	- ∕000000\-
11 mm	4 mm		mm	body mm	mm
front view	back view				
747547 <u>6</u>		A2705-06D 4 springs 450 g approx	1,85	12	6
74754F <u>6</u>	7-1-1	A2706-06D 4 springs 900 g approx	1,85	12	6
450		A2705-09D 6 springs 450 g approx	1,85	12	9
<u> </u>		A2706-09D 6 springs 900g approx	1,85	12	9





Distributor Contact

3DNADental.com